

Incubation Time Periods

Swans

| | |
|--------------------|-------|
| Black/Black Necked | 36 |
| Coscoroba | 35-36 |
| Mute | 35-36 |
| Trumpeter | 33-35 |
| Whistling | 32-35 |
| Whooper | 32-35 |

Sheldgeese

| | |
|--------------------|----|
| Abyssian Blue Wing | 31 |
| Andean | 30 |
| Ashyheaded | 30 |
| Cereopsis | 35 |
| Egyptian | 30 |
| Kelp | 32 |
| Magellan | 30 |
| Orinoco | 30 |
| Ruddyheaded | 30 |

Geese

| | |
|--------------------|-------|
| Barheaded | 28 |
| Barnacle | 23-28 |
| Brent | 23-28 |
| Canada | 26-28 |
| Emperor | 25 |
| Greylag | 28 |
| Lesser White Front | 25 |
| NeNe | 29 |
| Pinkfoot | 28 |
| Redbreasted | 25 |
| Ross | 23 |
| Snow | 25 |
| Swan | 28 |
| White Front | 26 |

Shelducks

| | |
|------------|----|
| Australian | 30 |
| Cape | 30 |
| European | 30 |
| Paradise | 30 |
| Radjah | 30 |
| Ruddy | 30 |

Mallard Related Ducks

| | |
|-------------|----|
| Black Ducks | 26 |
| Florida | 26 |
| Hawaiian | 26 |
| Laysan Teal | 26 |
| Mallard | 26 |
| Philippine | 26 |
| Spotbills | 26 |
| Yellowbills | 27 |

Teal

| | |
|-------------------|-------|
| Baikal | 25 |
| Blue Wing | 23-24 |
| Brazilian | 25 |
| Cape | 25 |
| Cinnamon | 24 |
| Chestnut Breasted | 26 |
| Chilean | 24 |
| Garganey | 24 |
| Green Wing | 24 |
| Hottentot | 24 |
| Marbled | 24 |
| Puna (Silver) | 26 |
| Ring | 23 |
| Sharpwing | 24 |
| Versicolor | 25 |

Shovelers

| | |
|-----------|----|
| Rosybill | 26 |
| Tufted | 25 |
| White Eye | 26 |

Pintails

| | |
|------------|-------|
| Bahama | 25 |
| Chilean | 25-26 |
| Northern | 25 |
| Red-billed | 25-26 |

Wideons & Other Common Dabbling Ducks

| | |
|----------|----|
| American | 24 |
| Chiloe | 26 |
| European | 25 |
| Falcated | 25 |
| Gadwall | 26 |

Pochards

| | |
|------------------------|----|
| Canvasback | 26 |
| Common | 27 |
| Greater & Lesser Scaup | 27 |
| Red Crested | 27 |

Whistling Ducks

| | |
|------------------|----|
| Cuban | 30 |
| Eyton's (Plumed) | 30 |
| Fulvous | 28 |
| Javan | 28 |
| Red Billed | 28 |
| Spotted | 31 |
| Wandering | 30 |
| White-faced | 28 |

Mergansers

| | |
|--------------|----|
| Hooded | 28 |
| Red Breasted | 30 |

Other Ducks

| | |
|------------------------|----|
| American Goldeneye | 28 |
| Barrow's Goldeneye | 30 |
| Bufflehead | 22 |
| Carolina Wood Duck | 32 |
| Common Scoter | 28 |
| Eiders | 24 |
| European Goldeneye | 28 |
| Harlequin | 30 |
| Long Tails | 23 |
| Mandarin | 32 |
| North American Ruddy | 24 |
| White-winged Wood Duck | 33 |

Pheasants

| | |
|----------------------|-------|
| Argus | 25 |
| Blue Eared | 27-28 |
| Brown Eared | 26-27 |
| Cheer | 26 |
| Copper | 24-25 |
| Edwards | 24-25 |
| Elliot's | 25 |
| Fireback | 24-25 |
| Golden & mutations | 23 |
| Germain's Peacock | 21 |
| Grey Peacock | 21 |
| Hume's Bartail | 24-25 |
| Impeyan | 27 |
| Kalij | 24-25 |
| Koklass (Common) | 25 |
| Lady Amherst | 22-23 |
| Mikado | 27-28 |
| Malay Peacock | 22 |
| Mountain Peacock | 22 |
| Palayan Peacock | 18-20 |
| Reeves | 23-25 |
| Ringneck & mutations | 24 |
| Silver | 26-27 |
| Swinhoe | 25 |
| Tragopan | 28 |
| White Eared | 24 |

Junglefowl

| | |
|-------------------|-------|
| Red | 19-21 |
| Grey (Sonnerat's) | 20-21 |
| Green (Javan) | 21 |

Peafowl

| | |
|------------------------|-------|
| India Blue & mutations | 27-29 |
| Java Green | 26-28 |

Partridge

| | |
|----------------|-------|
| Bamboo | 18-19 |
| Barbary | 23 |
| Chukar | 23 |
| French Red Leg | 23 |
| Hungarian | 24 |
| Philby Rock | 24-26 |

Quail

| | |
|--------------------------|-------|
| Bobwhite & mutations | 21 |
| California Valley | 21 |
| Chinese Painted (Button) | 16 |
| Douglas/Elegant | 22 |
| Gambel's | 22 |
| Harlequin | 14-15 |
| Mearns | 24 |
| Mountain | 24 |
| Scaled | 23 |

Grouse

| | |
|-----------------|-------|
| Blue | 24 |
| Prairie Chicken | 25-26 |
| Ruffed | 23 |
| Sage Hen | 25 |
| Sharptail | 23-24 |
| Spruce | 22-25 |

Francolins

| | |
|------------------|-------|
| Black | 20 |
| Erckel's | 21-22 |
| Hyderbadi (Grey) | 21-22 |
| Yellow-necked | 18-20 |

Ratites

| | |
|---------|-------|
| Emu | 52-62 |
| Ostrich | 40-42 |
| Rhea | 35-40 |

Cage Birds and other Birds

| | |
|------------------------|-------|
| Canaries | 14 |
| Chachalacas | 25-27 |
| Chickens (bantams) | 19-21 |
| Chickens (standard) | 21 |
| Cockatiels | 24 |
| Cockatoos | 24 |
| Cranes | 30 |
| Doves | 14 |
| Ducks (domestic) | 28 |
| Geese (domestic) | 28-35 |
| Guinea Fowl (domestic) | 28 |
| Lovebirds | 24 |
| Mynahs | 14 |
| Muscovy Ducks | 28 |

| | |
|-----------------------|-------|
| Parakeets | 18 |
| Parrots | 28 |
| Pigeons | 16-18 |
| Rosellas | 18 |
| Tinamou | 18-19 |
| Turkeys | 28 |
| Vulturine Guinea Fowl | 25 |

The days listed on the hatching table are a guide as to when you might expect an egg from a particular species to hatch. Eggs don't always hatch in the given number of days because of a number of factors including temperature, humidity, altitude, and the freshness of the hatching eggs.